

HYDRIC SOILS LIST
Wayne County, Indiana

PAGE - 1 OF 10

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets satura- tion	Meets flood- ing	Meets ponding	Natural Condition of Soil
CeB2: Celina silt loam, 1 to 5 percent slopes, eroded	Celina	No	---	---	---	---	---	
	Treaty	Yes	depression	2B3,3	YES	NO	YES	Wooded under natural conditions
CrA: Crosby silt loam, 0 to 2 percent slopes	Crosby	No	---	---	---	---	---	
	Treaty	Yes	depression	2B3,3	YES	NO	YES	Wooded under natural conditions
CrB: Crosby-Celina silt loams, 1 to 4 percent slopes	Crosby	No	---	---	---	---	---	
	Celina	No	---	---	---	---	---	
	Treaty	Yes	depression	2B3,3	YES	NO	YES	Wooded under natural conditions
CtB: Crosby-Miami silt loams, stony subsoil, 1 to 3 percent slopes	Crosby	No	---	---	---	---	---	
	Miami	No	---	---	---	---	---	
	Treaty	Yes	depression	2B3,3	YES	NO	YES	Wooded under natural conditions
EdF: Eden flaggy silty clay loam, 25 to 40 percent slopes	Eden	No	---	---	---	---	---	
EoA: Eldean loam, 0 to 2 percent slopes	Eldean	No	---	---	---	---	---	
	Westland	Yes	depression	2B3,3	YES	NO	YES	Wooded under natural conditions

NATURAL RESOURCES CONSERVATION SERVICE

XXX 00/00/99

HYDRIC SOILS LIST--Continued
Wayne County, Indiana

PAGE - 2 OF 10

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets satura- tion	Meets flood- ing	Meets ponding	Natural Condition of Soil
EoB2: Eldean loam, 2 to 6	Eldean	No	---	---	---	---	---	

percent slopes, eroded	Westland	Yes	depression	2B3,3	YES	NO	YES	Wooded under natural conditions
EoC2: Eldean loam, 6 to 12 percent slopes, eroded	Eldean	No	---	---	---	---	---	
	Westland	Yes	drainageway	2B3,3	YES	NO	YES	Wooded under natural conditions
EoD2: Eldean loam, 12 to 18 percent slopes, eroded	Eldean	No	---	---	---	---	---	
ExB3: Eldean clay loam, 2 to 6 percent slopes, severely eroded	Eldean	No	---	---	---	---	---	
	Mahalasville	Yes	depression	2B3,3	YES	NO	YES	Wooded under natural conditions
ExC3: Eldean clay loam, 6 to 18 percent slopes, severely eroded	Eldean	No	---	---	---	---	---	
	Mahalasville	Yes	drainageway	2B3,3	YES	NO	YES	Wooded under natural conditions
FcA: Fincastle silt loam, 0 to 2 percent slopes	Fincastle	No	---	---	---	---	---	
	Treaty	Yes	depression	2B3,3	YES	NO	YES	Wooded under natural conditions
Ge: Genesee silt loam, occasionally flooded	Genesee	No	---	---	---	---	---	

NATURAL RESOURCES CONSERVATION SERVICE

XXX 00/00/99

HYDRIC SOILS LIST--Continued
Wayne County, Indiana

PAGE - 3 OF 10

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets satura- tion	Meets flood- ing	Meets ponding	Natural Condition of Soil
	Sloan	Yes	depression	2B3,3	YES	NO	YES	Wooded under natural conditions
Hb: Haplaquepts, loamy	Haplaquepts	No	---	---	---	---	---	
	Ragsdale	Yes	depression	2B3,3	YES	NO	YES	Wooded under natural conditions
HeF: Hennepin loam, 25 to 50 percent slopes	Hennepin	No	---	---	---	---	---	
Hu: Houghton muck, undrained	Houghton	Yes	depression	1,3	NO	NO	YES	Wooded under natural

								conditions
LbB2:								
Losantville silt loam, 2 to 6 percent slopes, eroded	Losantville	No	---	---	---	---	---	
	Treaty	Yes	depression	2B3,3	YES	NO	YES	Wooded under natural conditions
LbC2:								
Losantville silt loam, 6 to 12 percent slopes, eroded	Losantville	No	---	---	---	---	---	
	Treaty	Yes	drainageway	2B3,3	YES	NO	YES	Wooded under natural conditions
LbD2:								
Losantville silt loam, 12 to 18 percent slopes, eroded	Losantville	No	---	---	---	---	---	
	Treaty	Yes	drainageway	2B3,3	YES	NO	YES	Wooded under natural conditions
LcC3:								
Losantville clay loam, 6 to 12 percent slopes, severely eroded	Losantville	No	---	---	---	---	---	

NATURAL RESOURCES CONSERVATION SERVICE

XXX 00/00/99

HYDRIC SOILS LIST--Continued
Wayne County, Indiana

PAGE - 4 OF 10

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets saturation	Meets flooding	Meets ponding	Natural Condition of Soil
	Treaty	Yes	drainageway	2B3,3	YES	NO	YES	Wooded under natural conditions
LcD3:								
Losantville clay loam, 12 to 18 percent slopes, severely eroded	Losantville	No	---	---	---	---	---	
	Treaty	Yes	drainageway	2B3,3	YES	NO	YES	Wooded under natural conditions
LeB2:								
Losantville loam, stony subsoil, 2 to 6 percent slopes, eroded	Losantville	No	---	---	---	---	---	
	Treaty	Yes	depression	2B3,3	YES	NO	YES	Wooded under natural conditions
LxC3:								
Losantville clay loam, stony subsoil, 6 to 12 percent slopes, severely eroded	Losantville	No	---	---	---	---	---	
	Treaty	Yes	drainageway	2B3,3	YES	NO	YES	Wooded under natural conditions
Ma:								

Mahalasville silt loam	Mahalasville	Yes	depression	2B3,3	YES	NO	YES	Wooded under natural conditions
MnB2: Miami silt loam, 2 to 6 percent slopes, eroded	Miami	No	---	---	---	---	---	
	Treaty	Yes	depression	2B3,3	YES	NO	YES	Wooded under natural conditions
MnC2: Miami silt loam, 6 to 12 percent slopes, eroded	Miami	No	---	---	---	---	---	

NATURAL RESOURCES CONSERVATION SERVICE

XXX 00/00/99

HYDRIC SOILS LIST--Continued
Wayne County, Indiana

PAGE - 5 OF 10

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets saturation	Meets flooding	Meets ponding	Natural Condition of Soil
	Treaty	Yes	depression	2B3,3	YES	NO	YES	Wooded under natural conditions
MnD2: Miami silt loam, 12 to 18 percent slopes, eroded	Miami	No	---	---	---	---	---	
	Treaty	Yes	drainageway	2B3,3	YES	NO	YES	Wooded under natural conditions
MnE: Miami silt loam, 18 to 25 percent slopes	Miami	No	---	---	---	---	---	
MnF: Miami silt loam, 25 to 50 percent slopes	Miami	No	---	---	---	---	---	
MrA: Miami silt loam, gravelly substratum, 0 to 2 percent slopes	Miami	No	---	---	---	---	---	
	Treaty	Yes	depression	2B3,3	YES	NO	YES	Wooded under natural conditions
MrB2: Miami silt loam, gravelly substratum, 2 to 6 percent slopes, eroded	Miami	No	---	---	---	---	---	
	Treaty	Yes	depression	2B3,3	YES	NO	YES	Wooded under natural conditions
MrC2: Miami silt loam, gravelly substratum, 6 to 12 percent slopes, eroded	Miami	No	---	---	---	---	---	
	Treaty	Yes	drainageway	2B3,3	YES	NO	YES	Wooded under natural conditions
Ms: Millsdale silty clay	Millsdale	Yes	depression	2B3,3	YES	NO	YES	Wooded

HYDRIC SOILS LIST--Continued
Wayne County, Indiana

PAGE - 6 OF 10

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets saturation	Meets flooding	Meets ponding	Natural Condition of Soil
MwB2: Miami-Crosby silt loams, 2 to 5 percent slopes, eroded	Miami	No	---	---	---	---	---	
	Crosby	No	---	---	---	---	---	
	Treaty	Yes	depression	2B3,3	YES	NO	YES	Wooded under natural conditions
MxB2: Miami-Crosby- Losantville silt loams, stony subsoil, 2 to 6 percent slopes, eroded	Miami	No	---	---	---	---	---	
	Crosby	No	---	---	---	---	---	
	Losantville	No	---	---	---	---	---	
	Treaty	Yes	depression	2B3,3	YES	NO	YES	Wooded under natural conditions
OcA: Ockley silt loam, 0 to 2 percent slopes	Ockley	No	---	---	---	---	---	
	Westland	Yes	depression	2B3,3	YES	NO	YES	Wooded under natural conditions
OcB2: Ockley silt loam, 2 to 6 percent slopes, eroded	Ockley	No	---	---	---	---	---	
	Westland	Yes	depression	2B3,3	YES	NO	YES	Wooded under natural conditions
Or: Orthents, loamy	Orthents	No	---	---	---	---	---	
	Westland	Yes	depression	2B3,3	YES	NO	YES	Wooded under natural conditions
Pr: Pits, quarry	Pits	No	---	---	---	---	---	

HYDRIC SOILS LIST--Continued
Wayne County, Indiana

PAGE - 7 OF 10

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets saturation	Meets flooding	Meets ponding	Natural Condition

					tion	ing		of Soil
Rc: Ragsdale silty clay loam	Ragsdale	Yes	depression	2B3,3	YES	NO	YES	Wooded under natural conditions
RhA: Randolph silt loam, 0 to 2 percent slopes	Randolph	No	---	---	---	---	---	
	Millsdale	Yes	depression	2B3,3	YES	NO	YES	Wooded under natural conditions
RkA: Reesville silt loam, 0 to 2 percent slopes	Reesville	No	---	---	---	---	---	
	Ragsdale	Yes	depression	2B3,3	YES	NO	YES	Wooded under natural conditions
RmD: Rodman gravelly loam, 15 to 25 percent slopes	Rodman	No	---	---	---	---	---	
RmF: Rodman gravelly loam, 25 to 50 percent slopes	Rodman	No	---	---	---	---	---	
RsB2: Russell silt loam, 2 to 6 percent slopes, eroded	Russell	No	till plain	---	---	---	---	
	Williamstown	No	till plain	---	---	---	---	
	Fincastle	No	till plain	---	---	---	---	Wooded under natural conditions
	Russell, severely eroded	No	till plain	---	---	---	---	
	Typic Argiaquolls	Yes	flat, depression, till plain	2B3,3	YES	NO	YES	Wooded under natural conditions
RsC2: Russell silt loam, 6 to 12 percent slopes, eroded	Russell	No	---	---	---	---	---	

NATURAL RESOURCES CONSERVATION SERVICE

XXX 00/00/99

HYDRIC SOILS LIST--Continued
Wayne County, Indiana

PAGE - 8 OF 10

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets saturation	Meets flooding	Meets ponding	Natural Condition of Soil
Sh: Shoals silt loam, occasionally flooded	Shoals	No	---	---	---	---	---	
	Sloan	Yes	depression	2B3,3	YES	NO	YES	Wooded under natural conditions
Sk: Sleeth silt loam	Sleeth	No	---	---	---	---	---	
	Westland	Yes	depression	2B3,3	YES	NO	YES	Wooded under

								natural conditions
Sn: Sloan silty clay loam, occasionally flooded	Sloan	Yes	flood plain	2B3	YES	NO	NO	Wooded under natural conditions
St: Stonelick loam, occasionally flooded	Stonelick	No	---	---	---	---	---	
	Sloan	Yes	depression	2B3,3	YES	NO	YES	Wooded under natural conditions
SuB3: Strawn clay loam, 2 to 6 percent slopes, severely eroded	Strawn	No	---	---	---	---	---	
	Treaty	Yes	depression	2B3,3	YES	NO	YES	Wooded under natural conditions
SuC3: Strawn clay loam, 6 to 12 percent slopes, severely eroded	Strawn	No	---	---	---	---	---	
	Treaty	Yes	drainageway	2B3,3	YES	NO	YES	Wooded under natural conditions
SuD3: Strawn clay loam, 12 to 18 percent slopes, severely eroded	Strawn	No	---	---	---	---	---	

NATURAL RESOURCES CONSERVATION SERVICE

XXX 00/00/99

HYDRIC SOILS LIST--Continued
Wayne County, Indiana

PAGE - 9 OF 10

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets saturation	Meets flood- ing	Meets ponding	Natural Condition of Soil
	Treaty	Yes	drainageway	2B3,3	YES	NO	YES	Wooded under natural conditions
Tr: Treaty silty clay loam	Treaty	Yes	depression	2B3,3	YES	NO	YES	Wooded under natural conditions
Ts: Treaty silty clay loam, stony subsoil	Treaty	Yes	depression	2B3,3	YES	NO	YES	Wooded under natural conditions
UmB: Urban land-Miami complex, 2 to 6 percent slopes	Urban land	No	---	---	---	---	---	
	Miami	No	---	---	---	---	---	
UmC: Urban land-Miami complex, 6 to 12 percent slopes	Urban land	No	---	---	---	---	---	
	Miami	No	---	---	---	---	---	
UoA: Urban land-Miami complex, gravelly	Urban land	No	---	---	---	---	---	

substratum, 0 to 2 percent slopes									
	Miami	No	---	---	---	---	---		
UoB: Urban land-Miami complex, gravelly substratum, 2 to 6 percent slopes	Urban land	No	---	---	---	---	---		
	Miami	No	---	---	---	---	---		
Us: Urban land-Millsdale complex	Urban land	No	---	---	---	---	---		
	Millsdale	Yes	depression	2B3,3	YES	NO	YES	Wooded under natural conditions	
Wa: Water less than 40 acres in size	Water	Unranked	---	---	---	---	---		

NATURAL RESOURCES CONSERVATION SERVICE

XXX 00/00/99

HYDRIC SOILS LIST--Continued
Wayne County, Indiana

PAGE - 10 OF 10

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				FSA Criteria and Information
				Hydric code	Meets saturation	Meets flooding	Meets ponding	Natural Condition of Soil
Wc: Water more than 40 acres in size	Water	Unranked	---	---	---	---	---	
We: Westland silty clay loam	Westland	Yes	depression	2B3,3	YES	NO	YES	Wooded under natural conditions
WyB2: Wynn silt loam, 2 to 6 percent slopes, eroded	Wynn	No	---	---	---	---	---	
	Millsdale	Yes	depression	2B3,3	YES	NO	YES	Wooded under natural conditions
Wyc2: Wynn silt loam, 6 to 12 percent slopes, eroded	Wynn	No	---	---	---	---	---	
	Millsdale	Yes	drainageway	2B3,3	YES	NO	YES	Wooded under natural conditions
Wyd2: Wynn silt loam, 12 to 18 percent slopes, eroded	Wynn	No	---	---	---	---	---	
	Millsdale	Yes	drainageway	2B3,3	YES	NO	YES	Wooded under natural conditions
XeB2: Xenia silt loam, 1 to 5 percent slopes, eroded	Xenia	No	till plain	---	---	---	---	
	Xenia, severely eroded	No	till plain	---	---	---	---	
	Typic Argiaquolls	Yes	flat, depression,	2B3,3	YES	NO	YES	Wooded under

			till plain				natural conditions
--	--	--	------------	--	--	--	-----------------------